SAGITTARIUS

TAPS & SHOWERING

Construction

Finishes Product Type

Water Pressure Tested Be-

tween

Standards

Certification

Cartridge

Aerator Fitting

Guarantee

Additional Information

Brass Body (H59-1/BS

CZ122); Stainless steel spout;

Zinc-alloy Handles Brushed Nickel Contemporary

Min. 0.5 bar, Max. 6.0 bar

Complies with BS5412, BS

EN200

WRAS (2206054) approved

and certified

1/4 Turn 1/2" Ceramic disc

valves

M24*1 Spout aerator

M10 x G1/2" BSP Female

Flexible inlet connection hos-

es, 400mm

10 years against manufactur-


ing faults (excluding servicea-

ble parts)

nformation 360° Swivel Spout, installation

on worktop with maximum

thickness of 40mm



FORME MONOBLOC
SINK MIXER BRUSHED
NICKEL
KTS/233/BN



The information contained on this page was correct at the date of issue. Fitting dimensions are provided as a guide only. Some variation may occur due to manufacturing tolerances.

We pursue a policy of continuing improvement in design and performance of our products and so reserve the right to change specifications without prior notice

Flow Rates (Litres per minute)

System Pressure	0.1 Bar	0.2 Bar	0.3 Bar	0.5 Bar	1.0 Bar	1.5 Bar	2.0 Bar	3.0 Bar	4.0 Bar	5.0 Bar
	-	4.0	-	6.8	9.5	-	14.0	17.0	-	-

	1									
NO.	ITEM	QTY								
1	ZINC-ALLOY HANDLE	2		/						
2	S/STEEL HANDLE GRUB SCREW	2		/			\ \			
3	BRASS HANDLE COLLAR	2		- 1	1		/ ,			
4	1/2" HOT CERAMIC DISC CARTRIDGE	1			1					
5	1/2" COLD CERAMIC DISC CARTRIDGE	1					\			
6	BRASS CARTRIDGE COVER	2					`	\ \		
7	ø22*2 NBR O-RING	2						/ /		
8	BRASS TAP BODY	1								
9	ø49*2.5 NBR O-RING	1						0		-(19)
10	HORSE-SHOE NBR WASHER	1						0		<u>-200</u>
11	HORSE-SHOE STEEL PLATE	1	(14)-	_				AA	,	40
12	M8x70 STEEL FIXING ROD	1							>—	-(21)
13	SW10*10 BRASS FIXING NUT	1)				ノー	
14	STAINLESS STEEL SPOUT	1	(15)-		\supset				9	
15	Ø18*2 NBR O-RING	3							11	
16	18*1.5 SPOUT CONNECTOR	1	(16)						11	
17	Ø21*Ø19*1 SPOUT WASHER	1	(10)		3				de	
18	M5*5 S/STEEL SPOUT GRUB SCREW	1		C	3					
19	Ø20.8*Ø15*2 NBR AERATOR WASHER	1	(15)-	$-\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!\!$	5				1)	
20	M24*1 ABS AERATOR	1	(17)		_				<i>\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\</i>	
21	M22*1 BRASS AERATOR CASING	1		$\overline{}$)	\sim				
22	M10*G1/2*400 S/STEEL FLEXI-TAILS	2	(18)	J Œ	S					
		4				8 9 10 11 12		22)	
						()	D			