SAGITTARIUS

TAPS & SHOWERING

Construction	Brass Body; Brass Han- dles; Stainless Steel Rail	ERGO LEVER FULLY ADJUSTA
Finishes	Chrome plated to BS EN 248	BLE SHOWER & RISER SET
Product Type	Con- tempor	CHROME
Water Pressure Tested Between	ary Min. 1.0 bar, Max. 6.0 bar	SS/616/C
Standards	Complies with BSEN 1111 Ther-	
Cartridge	mostati c Brass G ¹ / ₂ " BSP compression con-	
Fitting	nections; Brass G3/4" BSP Male outlet	
Guarantee	10 years against manufacturing faults (excluding serviceable parts)	
Additional Infor- mation	 Temperature: Pre-set 38°C, with push button override to 48°C Automatic shut off in the event of hot or cold water supply failure Brass Wall plate Shower head : Chrome , ABS , 240mm , rubber nozzles Shower handset : Chrome , ABS , 3 modes , G1/2" BSP Adjustable ABS Handset Holder 	

& PVC Hose Chrome


Flow Rates (Litres per minute)

System Pressure	0.1 Bar	0.2 Bar	0.3 Bar	0.5 Bar	1.0 Bar	1.5 Bar	2.0 Bar	3.0 Bar	4.0 Bar	5.0 Bar
	-	-	-	-	12.4	-	19.6	25.0	29.6	33.0

The information contained on this page was correct at the date of issue. Fitting dimensions are provided as a guide only. Some variation may occur due to manufacturing tolerances. We pursue a policy of continuing improvement in design and performance of our products and so reserve the right to change specifications without prior notice


FOR FURTHER ADVICE PLEASE CONTACT :-

SAGITTARIUS LTD UNIT 1 LOWER VICTORIA STREET—CHADDERTON—OLDHAM—OL9 9TU TEL:0616 6202029 EMAIL:TECHNICAL@SAGITTARIUSTAPS.CO.UK



FOR FURTHER ADVICE PLEASE CONTACT :-

SAGITTARIUS LTD UNIT 1 LOWER VICTORIA STREET—CHADDERTON—OLDHAM—OL9 9TU TEL:0616 6202029 EMAIL:TECHNICAL@SAGITTARIUSTAPS.CO.UK



FOR FURTHER ADVICE PLEASE CONTACT :-

SAGITTARIUS LTD UNIT 1 LOWER VICTORIA STREET—CHADDERTON—OLDHAM—OL9 9TU TEL:0616 6202029 EMAIL:TECHNICAL@SAGITTARIUSTAPS.CO.UK